	Application No.	Applicant(s)
Notice of Allowability	10/630,817	PINARBASI, MUSTAFA MICHAEL
	Examiner	Art Unit
	Julie Anne Watko	2653
	Julie Affile Walko	2000
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 10/20/2005.		
2. The allowed claim(s) is/are 1,4,5,7,8,12-14,17,18,21 and 29-32.		
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have been received.</li> </ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	e nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
•	9.	
•		
·		

Application/Control Number: 10/630,817

Art Unit: 2653

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ervin Johnston (Reg. No. 20190) on November 1, 2005.

The application has been amended as follows:

In claim 1, line 3, "and" has been deleted.

Claim 1, line 5 has been changed to --of ruthenium (Ru); and the first layer interfacing the second layer and being located between a spacer layer and the second layer.--.

In claim 4, line 5, "a nonmagnetic spacer layer located" has been changed to -- [a] the nonmagnetic spacer layer being located --.

In claim 12, line 6, "and" has been deleted.

Claim 12, line 8 has been changed to --layer of ruthenium (Ru); and the first layer interfacing the second layer and being located between a spacer layer and the second layer.--.

In claim 13, line 5, "a nonmagnetic spacer located" has been changed to -- [a] the nonmagnetic spacer being located --.

In claim 17, line 6, "and" has been deleted.

Claim 17, line 8 has been changed to --layer of ruthenium (Ru); and the first layer interfacing the second layer and being located between a spacer layer and the second layer.--.

Application/Control Number: 10/630,817

Art Unit: 2653

In claim 18, line 5, "a nonmagnetic spacer layer located" has been changed to -- [a] the nonmagnetic spacer layer being located --.

2. The following is an examiner's statement of reasons for allowance: The prior art of record neither shows nor suggests Ta and Ru (or Rh) cap layers in the claimed relative locations with respect to a spacer layer of a CPP sensor, with the Ta layer between the Ru (or Rh) layer and the spacer layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julie Anne Watko whose telephone number is (571) 272-7597. The examiner can normally be reached on Monday-Thursday until 4:45PM, and Friday until 6PM.

Application/Control Number: 10/630,817

Art Unit: 2653

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William R. Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Julie Anne Watko

November 1, 2005 JAW

Primary Examiner Art Unit 2653

Page 4